



GREAT LAKES SCALE COMPANY
 35380 UNION LAKE RD.
 HARRISON TOWNSHIP, MI 48045
 Phone: (586) 776-0517

Certificate of Calibration

Certificate ID: 96325b240115011521

Customer: DAYTONA REDI MIX
 LIB1248 7520 23 MILE RD

Test Date: 01/15/2024

SHELBY TOWNSHIP, MI 48316

ISO Number: MS-FM-CEM-001

(*Make: ALKON Model : COMMAND SN#: 96325b Capacity: 40000 lb Graduation: 40 lb

CALIBRATION DATE	DUE DATE	TEST INTERVAL	SCALE ID	SCALE CLASS
01/15/2024	07/16/2024	Semi-Annually	96325b	III L
SCALE LOCATION			EQUIPMENT CONDITIONS	
			Working	Clean
SELECT NUMBER OF PM DAYS:		CAPACITY	40000 UOM	INCREMENT 40

AS FOUND TEST USING TEST WEIGHTS

AS LEFT TEST USING TEST WEIGHTS

AS FOUND TEST USING TEST WEIGHTS					AS LEFT TEST USING TEST WEIGHTS				
Weight Applied	Reading		Error		Weight Applied	Reading		Error	
0	lb	0	lb	0	lb	0	lb	0	lb
2000	lb	2000	lb	0	lb	2000	lb	2000	lb
4000	lb	4000	lb	0	lb	4000	lb	4000	lb
6000	lb	6000	lb	0	lb	6000	lb	6000	lb
0	lb	0	lb	0	lb	0	lb	0	lb
	lb		lb		lb		lb		lb
	lb		lb		lb		lb		lb
	lb		lb		lb		lb		lb
	lb		lb		lb		lb		lb
	lb		lb		lb		lb		lb

AS LEFT BUILD TEST

Test Weight Applied	Material Weight Applied		Reading		Error	
	lb		lb		lb	
	lb		lb		lb	
0	lb	10000	lb	10000	lb	0
2000	lb	10000	lb	12000	lb	0
4000	lb	10000	lb	14000	lb	0
6000	lb	10000	lb	16000	lb	0
0	lb	10000	lb	10000	lb	0
2000	lb	20000	lb	22000	lb	0
4000	lb	20000	lb	24000	lb	0
6000	lb	20000	lb	26000	lb	0
0	lb	20000	lb	20000	lb	0
2000	lb	30000	lb	32000	lb	0
4000	lb	30000	lb	34000	lb	0
6000	lb	30000	lb	36000	lb	0
0	lb	30000	lb	30000	lb	0
	lb		lb		lb	
	lb		lb		lb	
	lb		lb		lb	
	lb		lb		lb	

OVERALL TEST RESULTS PASS



GREAT LAKES SCALE COMPANY
 35380 UNION LAKE RD.
 HARRISON TOWNSHIP, MI 48045
 Phone: (586) 776-0517

Customer: DAYTONA REDI MIX
 LIB1248 7520 23 MILE RD

SHELBY TOWNSHIP, MI 48316

Certificate ID: 96325b240115011521

Test Date: 01/15/2024

ISO Number: MS-FM-CEM-001

TEST INFORMATION

TEST WEIGHT CLASSIFICATION	EXPANDED UNCERTAINTY
F	69
ENVIRONMENTAL CONDITIONS	TEMPERATURE
Acceptable	3
WAS THE SCALE WITHIN CUSTOMERS REQUIRED ACCURACY?	
Yes	
TEST LOCATION	OVERALL RESULT
Onsite	Pass w/o adjustment

Comments:

Scale on zero load tested, build tested and sealed.

TRACEABILITY CERTIFICATE NUMBERS:			
Kit	NIST	Date	Date Due
Description			
GL1506	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1505	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1504	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1503	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1502	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1501	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			

Technician(s): ED GORHAM; MATT PLEVA;

Signature:

Devices were calibrated with the certified test weights. Adjustments made to restore and/or maintain the accuracy of the device conform to the tolerances established by NIST or Manufacturers Specifications. Best measurement of uncertainty calculated using a coverage factor of K=2. This provides confidence level of 95%.



GREAT LAKES SCALE COMPANY
 35380 UNION LAKE RD.
 HARRISON TOWNSHIP, MI 48045
 Phone: (586) 776-0517

Customer: DAYTONA REDI MIX
 LIB1248 7520 23 MILE RD

SHELBY TOWNSHIP, MI 48316

Certificate ID: 96325a240115105221

Test Date: 01/15/2024

ISO Number: MS-FM-CEM-001

TEST INFORMATION

TEST WEIGHT CLASSIFICATION	EXPANDED UNCERTAINTY
F	8.7
ENVIRONMENTAL CONDITIONS	TEMPERATURE
Acceptable	3
WAS THE SCALE WITHIN CUSTOMERS REQUIRED ACCURACY?	
Yes	
TEST LOCATION	OVERALL RESULT
Onsite	Pass w/o adjustment

Comments:

Scale on zero, load tested, calibrated, retested and sealed.

TRACEABILITY CERTIFICATE NUMBERS:			
Kit	NIST	Date	Date Due
Description			
GL1506	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1505	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1504	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1503	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1502	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			
GL1501	MI--03-23-16216	3/9/2023	3/9/2025
TRUCK 15 - 1000 LB			

Technician(s): ED GORHAM;MATT PLEVA;

Signature:

Devices were calibrated with the certified test weights. Adjustments made to restore and/or maintain the accuracy of the device conform to the tolerances established by NIST or Manufacturers Specifications. Best measurement of uncertainty calculated using a coverage factor of K=2. This provides confidence level of 95%.